


Geographic Response Strategy Outer Cohasset Harbor SS01							
Tactic #	Purpose	Response Equipment		Deployment Resources	Deployment Notes		
DV-01	Redirect spilled oil from one location or direction of travel to a specific site for recovery.	700 ft protected water boom 4 marine anchor system 2 shoreline anchor system Testing Date		2 shore responders 1 response boats 3 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to divert incoming oil to the collection site. Anchor every 200-300'. Adjust angle as necessary to reduce entrainment. Set up shoreside recovery and tend throughout tide. Deploy shoreside anchor first.		
EX-02	Prohibit oil slicks from entering a sensitive area	600 ft protected water boom 3 marine anchor system 2 shoreline anchor system Testing Date		2 shore responders 1 response boats 3 boat responders N Tested	Tend through tidal changes. Deploy boom as depicted to exclude oil from sensitive areas. Anchor every 200-300'. Not tide dependent. Deploy shoreside anchor first.		
FO-03	Contain and recover spilled oil on the water in the offshore & nearshore environment	1 or more onwater skimming systems N/A Testing Date		Tested	Deploy on-water recovery task force(s) in configuration suitable for types of vessels used and sea conditions, with skimming system(s) and temporary storage for recovered oil and water. Location not exact, will move to chase oil.		
FO-03	Contain and recover spilled oil on the water in the offshore & nearshore environment Contain and recover spilled oil on the water in the offshore & nearshore environment	1 or more onwater skimming systems			Deploy on-water recovery task force(s) in configuration suitable for types of vessels used and sea conditions, with skimming system(s) and temporary storage for recovered oil and water. Location not exact, will move to chase oil.		
FO-03		N/A 1 or more	Testing Date onwater skimming systems	Tested	Deploy on-water recovery task force(s) in configuration suitable for types of vessels		
FO		,			used and sea conditions, with skimming system(s) and temporary storage for recovered oil and water. Location not exact, will move to chase oil.		
		N/A	Testing Date	Tested			
SR-04	Remove spilled oil that has been diverted to a designated recovery site accessible from shore	4 skimming system 4 storage tank or bladder 4 hoses, pumps, fittings		2 shore responders	Set up shoreside recovery tactic at general location depicted on map. Some access points located at private residences. Access may be difficult.		
		N/A	Testing Date	Tested			

Geographic Response Strategy Outer Cohasset Harbor SS01

3						
Local contacts						
Cohasset Harbormaster	781-383-0863					
Cohasset Fire Dept	781-383-6154					
Cohasset Dept of Emergency Management	781-383-0388					
Mass. Dept of Environmental Protection (24 Hours)	888-304-1133					
U.S. Coast Guard (24 Hours)	617-223-5750					



View looking south towards DV-01





View looking southeast towards the opening to Glades Corp Salt Marsh. (EX-02)

Special Considerations & Navigational Hazards

SR sites reported to be natural pooling locations but located along shoreline where access may be difficult. Vessel operators should have local knowledge.